

721 Cortaro Dr. Sun City Center, FL 33573 www.acslabcannabis.com **DEA No.** RA0571996 FL License # CMTL-0003 **CLIA No.** 10D1094068

Banana Runtz D10/D8 Cart Sample Matrix: CBD/HEMP **Derivative Products** (Inhalation - Heated)



Certificate of Analysis

Compliance Test

Client Information:

HONEYROOT WELLNESS LLC Batch # BR0684

17742 MITCHELL N. SUITE A

IRVINE, CA 92614

Order # HON230731-200001 Order Date: 2023-07-31 Sample # AAES711

Batch Date: 2023-07-24

Extracted From: Hemp

Sampling Date: 2023-08-08 Lab Batch Date: 2023-08-08 Completion Date: 2023-08-11

Test Reg State: Florida

Initial Gross Weight: 10.100 g

Number of Units:

Net Weight per Unit: 1000.000 mg





Product I mage

Delta 8/Delta 10 Specimen Weight: 10	Te SOP13.052 (stec			
Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)	
Delta-8 THC	2.60È-5	0.015	840.840	84.084	
Delta6a10a-THC	8.47E-5	0.015	68.420	6.842	
Delta-10 THC	3.00E-6	0.015	4.540	0.454	
CBN	1.40E-5	0.015	0.710	0.071	
CBC	1.80E-5	0.015	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBD	5.40E-5	0.015	<loq< td=""><td><l0q< td=""><td></td></l0q<></td></loq<>	<l0q< td=""><td></td></l0q<>	
CBDA	1.00E-5	0.015	<loq< td=""><td><l0q< td=""><td></td></l0q<></td></loq<>	<l0q< td=""><td></td></l0q<>	
CBDV	6.50E-5	0.015	<loq< td=""><td><l0q< td=""><td></td></l0q<></td></loq<>	<l0q< td=""><td></td></l0q<>	
CBG	2.48E-4	0.015	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
CBGA	8.00E-5	0.015	<loq< td=""><td><l0q< td=""><td></td></l0q<></td></loq<>	<l0q< td=""><td></td></l0q<>	
Delta-9 THC	1.30E-5	0.015	<loq< td=""><td><l0q< td=""><td></td></l0q<></td></loq<>	<l0q< td=""><td></td></l0q<>	
THCA-A	3.20E-5	0.015	<loq< td=""><td><l0q< td=""><td></td></l0q<></td></loq<>	<l0q< td=""><td></td></l0q<>	
THCV	7.00E-6	0.015	<loq< td=""><td><l0q< td=""><td></td></l0q<></td></loq<>	<l0q< td=""><td></td></l0q<>	
Total Active CBD			<loq< td=""><td><l0q< td=""><td></td></l0q<></td></loq<>	<l0q< td=""><td></td></l0q<>	
Total Active THC			<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	

❖ Potency Summary				
Total Delta 8	Total Delta 10			
84.084% 840.840mg	0.454% 4.540mg			
Total Active THC	Total Active CBD			
- None Detected	- None Detected			
Total CBG	Total CBN			
- None Detected	0.071% 0.710mg			
Other Cannabinoids	Total Cannabinoids			
6.842% 68.42mg	91.451% 914.510mg			

Lab Director/Principal Scientist Aixia Sun



-VAHCA

D.H.Sc., M.Sc., B.Sc., MT (AAB)





Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBC + CBTA = THC + Total CBC + Total THC + Total THC + Total THC + Total CBC + Total THC - O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, (pg/s) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (pg/g), (au) = Water Activity, (mg/kg) = Milligram per Kilogram, ACs se simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5k-4.034, 5k-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5k-4.036, 5k-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5k-4.036, 5k-4.034. This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

QA By: 1057 on 2023-08-11 13:51:41 V1